```
BRS
              (circumferential$ with $mode) and 385/$.ccls.
       2002/05/15 15:18
                                   Truncation Overflow. Return string from Server is:
5'0'0'CIR
              1
BRS
       5
              (circumferential$ with $mode with resonator) and optic$
       2002/04/23 17:02
                                   Truncation Overflow. Return string from Server is:
5'0'0'CIR
              1
BRS
       1
              6101300.pn. USPAT
                                          2002/04/23 17:53
BRS
              resonator and (fiber with taper) and optic$ USPAT
       54
                                                                     2002/04/24
11:20
              Truncation Overflow. Return string from Server is: 5'18688'3
BRS
              (resonator and (fiber with taper) and optic$) and modulator USPAT
       16
       2002/04/23 17:56
BRS
       23
              5138676.URPN.
                                   USPAT
                                                2004/04/16 14:41
       0
              ("5138676" | "5452393" | "5699461" | "5883992" | "6008927").PN.
BRS
       USPAT
                     2002/04/24 11:15
BRS
              resonator and (fiber with taper) and optic$ and garnet
       2
                                                                     USPAT
       2002/04/24 12:53
                                   Truncation Overflow. Return string from Server is:
5`18688`3
BRS
      45
              (($resonator with ring$) or FRR) with modulator
                                                              USPAT
                                   Truncation Overflow. Return string from Server is:
       2002/04/29 16:19
5'0'1'$RE
BRS
      1
              "5446573".PN.
                                   USPAT
                                                2002/04/24 13:00
       0
BRS
      126
             resonant with optic$ with modulator USPAT
                                                              2002/04/29 17:09
       Truncation Overflow. Return string from Server is: 5'46352'4
              ((($resonator with ring$) or FRR) with modulator) and (resonant with
BRS
optic$ with modulator)
                            USPAT
                                         2002/04/24 13:03
                                                                            0
BRS
      5
              5802235.URPN.
                                   USPAT
                                                2002/04/29 16:13
       0
BRS
      0
              5802235.URPN. and (fiber$ with $ring$)
                                                       USPAT
                                                                     2002/04/29
17:03
              Truncation Overflow. Return string from Server is: 5'6'7"58
                                                                            1
BRS
      2
              5802235.URPN. and ring
                                         USPAT
                                                       2002/04/29 16:16
       0
BRS
      2
             ((($resonator with ring$) or FRR) with modulator) and (BOA or bifurc$)
                           2002/04/29 16:36
and fiber
             USPAT
                                                       Truncation Overflow, Return
string from Server is: 5'0'1'$RE
BRS
      2
             (resonant with optic$ with modulator) and (BOA or bifurc$) and fiber
      USPAT
                    2002/04/29 16:27
                                                Truncation Overflow. Return string
from Server is: 5'46352'4
BRS
             5001523.pn.
                          USPAT
                                         2002/04/29 16:37
                                                                            0
      1
BRS
      9
             5001523.URPN.
                                  USPAT
                                                2002/04/29 16:39
      0
BRS
             5001523.URPN. and fiber
                                         USPAT
                                                       2002/04/29 16:40
      0
BRS
      7
             5123027.URPN.
                                  USPAT
                                                2002/04/29 16:49
      0
```

```
BRS
       130
              fiber with ring with resonator USPAT
                                                         2002/04/29 17:05
       0
BRS
       8
              ((resonant with optic$ with modulator) or ((($resonator with ring$) or
                                                  2002/04/29 18:47
FRR) with modulator)) and spacer
                                   USPAT
       Truncation Overflow. Return string from Server is: 5'46352'4
                                                                       1
              5446579.URPN.
                                                  2002/04/29 18:19
BRS
       2
                                    USPAT
       0
BRS
       24
              ((resonant with optic$ with modulator) or ((($resonator with ring$) or
FRR) with modulator)) and axial$
                                   USPAT
                                                  2002/04/29 19:32
       Truncation Overflow. Return string from Server is: 5'46352'4
BRS
              ring with resonator with axial$
                                                  USPAT
                                                                2002/04/29 19:37
BRS
              ((resonant with optic$ with modulator) or ((($resonator with ring$) or
       5
FRR) with modulator)) and taper
                                    USPAT
                                                  2002/04/29 20:48
       Truncation Overflow. Return string from Server is: 5'46352'4
              (ring with resonator with axial$) and taper$ USPAT
BRS
                                                                       2002/04/29
19:35
BRS
       22
              (ring with resonator) same taper$
                                                  USPAT
                                                                2002/04/29 19:39
                                                                USPAT
BRS
              ((ring with resonator) same taper$) and optic$
       2002/04/29 19:39
                                    Truncation Overflow. Return string from Server is:
5'0'0'OPT
              ((resonant with optic$ with modulator) or ((($resonator with ring$) or
BRS
       167
FRR) with modulator) or (resonant with optic$ with modulator)
       2002/08/28 08:12
                                    Truncation Overflow. Return string from Server is:
5`46352`4
              1
BRS
      0
              (((resonant with optic$ with modulator) or ((($resonator with ring$) or
FRR) with modulator)) or (resonant with optic$ with modulator)) and (fiber same $ring$)
       USPAT
                     2002/04/29 21:38
                                                  Truncation Overflow. Return string
from Server is: 5'217366'
BRS
              (((resonant with optic$ with modulator) or ((($resonator with ring$) or
FRR) with modulator)) or (resonant with optic$ with modulator)) and (fiber same
resonator)
              USPAT
                            2002/04/30 16:29
              (((resonant with optic$ with modulator) or ((($resonator with ring$) or
BRS
      2
FRR) with modulator)) or (resonant with optic$ with modulator)) and (fiber same
resonator) and taper$ USPAT
                                   2002/04/30 16:40
                                                                Truncation Overflow.
Return string from Server is: 5'46422'4
                                           1
BRS
      18501 385/$.ccls.
                            USPAT
                                                                              0
                                           2002/04/30 16:42
BRS
              385/$.ccls. and (fuse$ with $fiber$ with $taper$)
                                                                USPAT
       2002/04/30 17:19
                                    Truncation Overflow. Return string from Server is:
5'0'0'FUS
BRS
      32
              taper with fuse with fiber
                                          USPAT
                                                         2002/05/01 14:48
       0
BRS
      5
              (taper with fuse with fiber) and wrap USPAT
                                                                2002/04/30 17:47
```

```
USPAT
BRS
              ((taper with fuse with fiber) and wrap) and resonator
       2002/04/30 17:48
BRS
              ((taper with fuse with fiber) and wrap) and ring
                                                               USPAT
       2002/04/30 17:48
BRS
              ((resonant with optic$ with modulator) or ((($resonator with ring$) or
FRR) with modulator)) or (resonant with optic$ with modulator) and (over$ with
                            2003/04/04 20:21
                                                        Truncation Overflow. Return
$coupl$)
              USPAT
string from Server is: 5'46422'4
BRS
              (((resonant with optic$ with modulator) or ((($resonator with ring$) or
FRR) with modulator)) or (resonant with optic$ with modulator) and (over$ with
$coupl$)) and (over$ with $coupl$) USPAT
                                                 2002/04/30 18:15
       Truncation Overflow. Return string from Server is: 5'0'0'OVE
BRS
              385/$.ccls. and (over$ adj1 $coupl$) USPAT
                                                               2002/05/01 15:28
       Truncation Overflow. Return string from Server is: 5'0'0'385
                                                                       1
BRS
      32
              taper with fuse with fiber
                                          USPAT
                                                        2002/05/01 14:48
BRS
       1
              385/$.ccls. and (over$ with $coupl$ with critical$) USPAT
       2002/05/01 15:33
                                   Truncation Overflow. Return string from Server is:
5'0'0'385
BRS
      69
              385/$.ccls. and ($coupl$ with critical$)
                                                        USPAT
                                                                       2002/05/01
15:42
              Truncation Overflow. Return string from Server is: 5'0'0'385
                                                                              1
              385/$.ccls. and ($coupl$ near1 critical$)
BRS
                                                        USPAT
                                                                       2002/05/01
              Truncation Overflow. Return string from Server is: 5'0'0'385
15:38
                                                                              1
BRS
              385/$.ccls. and (($coupl$ near1 critical$) same over$)
                                                                       USPAT
      1
       2002/05/01 15:42
                                   Truncation Overflow. Return string from Server is:
5000385
              1
BRS
      9
              (385/$.ccls. and ($coupl$ with critical$)) and ((over$ or satur$) with
                            2003/04/06 19:23
$coupl$)
              USPAT
                                                        Truncation Overflow, Return
string from Server is: 5'0'0'OVE
                                                                             0
BRS
              5313176.PN. USPAT
                                          2002/05/02 13:44
BRS
              5313176.PN. USPAT
                                          2002/05/02 16:59
                                                                             0
      1
BRS
      0
              09760822.ap. USPAT
                                          2002/05/02 17:00
                                                                             0
BRS
      21
              mukasa.in. and optic$ USPAT
                                                 2002/05/02 17:01
       Truncation Overflow. Return string from Server is: 5'140'228
                                                                       1
BRS
              5475704.pn. or 5138676.pn. or 5446579.pn. or 5822482.pn. or
5751873.pn. or 5666447.pn. or 5479548.pn. or 4723827.pn. or 4515431.pn. or
4142775.pn. or 6108465.pn. or 5708670.pn. or 5546414.pn. or 5015058.pn.
       USPAT
                     2002/05/13 16:07
BRS
              (grating near1 switch) and (grating near1 filter) and 385/$.ccls.
      2
       USPAT
                     2002/05/15 15:21
BRS
              (grating near1 switch) and (grating near1 filter) and 385/$.ccls.
      USPAT
                     2002/05/15 15:25
BRS
      41
              (grating near1 switch) and 385/$.ccls.
                                                        USPAT
                                                                       2002/05/15
15:29
                     0
BRS
      1
              5969834.pn.
                           USPAT
                                          2002/05/15 15:41
                                                                             0
```

BRS	0 0	5969834.URPN.	USPAT	2002/05/15 1	5:33						
BRS	62 2002/0	((series with grating) 05/15 15:45	same Bragg) a	and switch	USPAT						
BRS	5 2002/0										
BRS	15 0	add-drop near1 swite	chUSPAT	2002/05/15 1	6:31						
BRS	23	(grating near array near switch) and optic\$ USPAT 2002/05/15									
16:33		Truncation Overflow. Return string from Server is: 5'0'0'OPT 1									
BRS	23 0	grating near array near switchUSPAT 2002/05/15 16:34									
BRS	2 2002/0	(grating adj1 switch) same (series with grating) USPAT 05/15 16:38 0									
BRS	23 2002/0	0002/05/15 16:41									
BRS	2	grating near1 filter n	ear1 switch	USPAT	2002/05/15 16:44						
BRS	4	grating near2 filter n 0	ear2 switch	USPAT	2002/05/15 16:47						
BRS	2 USPA		•	ot (grating near 0	1 filter near1 switch)						
BRS	80 (grating with filter with switch) not (grating near2 filter near2 switch) USPAT 2002/05/15 16:48 0										
BRS	171	((resonant with optic	\$ with modula	tor) or (((\$resor	nator with ring\$) or						
FRR) with modulator)) or (resonant with optic\$ with modulator) USPAT  2002/08/27 11:18											
BRS	5	(((resonant with opti	c\$ with modula	ator) or (((\$reso	nator with ring\$) or						
BRS 5 (((resonant with optic\$ with modulator) or (((\$resonator with ring\$) or FRR) with modulator)) or (resonant with optic\$ with modulator)) and taper  USPAT 2002/08/27 11:18 0											
BRS	464	((resonant with optic	\$ with modula	tor) or ((\$reson	ator with ring\$) or						
FRR))	and mo	odulator USPAT	2002/08/28 0	8:16	0						
BRS	361	(((resonant with opti	c\$ with modula	ator) same (ring	or circumfer\$)) or						
BRS 361 (((resonant with optic\$ with modulator) same (ring or circumfer\$)) or ((\$resonator with ring\$) or FRR)) and modulator USPAT 2002/08/28 08:17											
BRS	43	((((resonant with opt	ic\$ with modul	lator) same (rin	g or circumfer\$)) or						
((\$reso	onator v	vith ring\$) or FRR)) a		,	~ //						
08:20		0	,	1							
BRS	6	((((resonant with opt	ic\$ with modu	lator) same (rin	g or circumfer\$)) or						
	-			,	,,						
((\$resonator with ring\$) or FRR)) and modulator) and (taper with \$9fiber\$) USPAT 2002/08/28 08:33 0											
BRS	6	((((resonant with opt		<del>-</del>	g or circumfer\$)) or						
((\$resonator with ring\$) or FRR)) and modulator) and (taper with fiber\$) USPAT 2002/08/28 08:55											
BRS	123	439/577.ccls. USPA	AT 2002/	08/28 09:03	0						

	BRS	10 0	439/577.ccls. a	and ferrule	USPAT	2002/08/28 09	9:13		
	BRS 09:25	113	439/577.ccls. 1	not (439/577.c	cls. and ferrule)	USPAT	2002/08/28		
	BRS	17 2002/0	(439/577.ccls. 8/28 09:30	not (439/577.	ccls. and ferrule	e)) and fiber	USPAT		
	BRS 96 (439/577.ccls. not (439/577.ccls. and ferrule)) not ((439/577.								
	(439/5	77.ccls.	. and ferrule)) and fiber) USPAT 2002/08/28 11:10						
	(	0	,,	,					
	BRS	1	4732446.pn.	USPAT	2002/08/28 11	:24	0		
	BRS	22	data with plug			USPAT	2002/08/28		
	11:30		0	J					
	BRS	0	(data with plus	with edge wi	th connector) as	nd ferrule	le USPAT		
			(data with plug with edge with connector) and ferrule USPAT 08/28 11:30						
	BRS	17	ring with resor	nat\$6 with tan	er\$6 USPA	T 2003/0	04/04 20:36		
	2.00	-,	0		2140 00111	2002/			
	BRS	219	•	waveguide or	fiber) and taper	\$6 and evanes	c\$9 and optic\$6		
•	210	USPA'		4/04 20:40	mouth area captain	0	our opinoto		
	BRS	124			r fiber) and tape	r\$6 and evanes	sc\$9 and		
		SUSPA		4/04 20:51	inour) and tape	0	νοφο und		
	BRS	12			r fiber) and tape	r\$6 and evanes	c\$9 and		
			35/130.ccls.	USPAT	2003/04/04 20		0		
	BRS	12			fiber) and tape				
				USPAT	2003/04/04 21		0		
	BRS	22			2003/04/04 21 fiber) and evar		=		
	385/30		USPAT	2003/04/06 1	,	iescop and opti	icso and		
	BRS	12				naga\$0 and an	tioff and		
					or fiber) and eva				
		,	and taper\$6 5475704.pn.		2003/04/06 17 2003/04/06 19		0		
		1					0		
		1		USPAT	2004/04/14 22		0		
		1	•	USPAT	2003/04/06 20		0		
		1	5475704.pn.	USPAT	2003/04/07 14		0		
	BRS 14 ring near1 resonat\$6 with evanesc\$6 USPAT 2003/04/07 14:4								
	BRS		5138676.pn. or 5025043.pn. or 5015058.pn. or 6108465.pn. or 9.pn. or 6052495.pn. USPAT; US-PGPUB 2003/09/26 10:40						
	544657	79.pn. o 0	r 6052495.pn.	PGPUB 2003/0	99/26 10:40				
	BRS	1	"20020081055	" USPA	T; US-PGPUB	2004/04/14 21	1:53		
		0							
	BRS	1	"20020044739	" USPA	T; US-PGPUB	2004/04/14 21	1:53		
	BRS 250 (waveguide with mode with wavelengths!) and 385/\$.ccls. USPA 2004/04/14 22:23 0								
	BRS	52 USPAT		vith mode with 4/14 22:23	wavelengths!)	and 385/\$.ccls.	.) and resonator		
	BRS	1	6052495.pn.		2004/04/14 22	2:29	0		

.

BRS 7 0 6052495.URPN. USPAT 2004/04/14 22:30